

# HISTORY • QUALITY • SERVICE



# This new issue of the corporate brochure is dedicated to men and women who work in my Company.

After the stories about my teacher, my parents and my close friends, I would like to write few words to whom, every day, dedicates himself to working at BASSO, with sense of community and self-sacrifice. After turning 30 years in the business, I believe I have appointed a very responsible and skilled team, that let the Company be appreciated in Italy and all over the World. I was lucky in selecting them one by one, train with patience and devotion, making them aware of the principles of punctuality, clearness, full trasparency and loyalty. Each employer would like to have staffers in his likeness. It seems impossible but I can affirm that after a time, we are all on the same wavelength and it drives to a strong empathy at work. Soon my sons Fabrizio and Federico will join the Company mechanisms. My wish is that the climate of serenity, cooperation and punctuality, that always marked the BASSO Company, will continue for many years.

May 2015

## Questa nuova edizione della brochure della BASSO è dedicata agli uomini ed alle donne che lavorano nella mia Azienda.

Dopo la storia sul mio maestro, quella sui miei genitori e poi ancora quella sui miei amici del cuore, ho il piacere di scrivere queste poche righe, per chi, quotidianamente, con senso di appartenenza e sacrificio, si dedica al lavoro alla BASSO. Dopo 30 anni di attività credo di aver creato un team responsabile e capace, che ha dato all'Azienda la possibilità di essere apprezzata in Italia e nel Mondo. Ho avuto la fortuna di averli saputi individuare uno ad uno e di averli formati, con pazienza e dedizione, sensibilizzandoli ad applicare i principi di puntualità, chiarezza, trasparenza e lealtà. Ogni datore di lavoro vorrebbe i propri collaboratori a sua immagine e somiglianza, cosa apparentemente impossibile, ma posso affermare che con il tempo si instaura una sorta di intesa caratteriale che porta ad avere, almeno sul lavoro, una forte empatia. A breve, in Azienda ci sarà l'ingresso dei miei figli, Fabrizio e Federico, e sono certo che tutto il team saprà accoglierli ed aiutarli ad assimilare i complessi meccanismi aziendali. Il mio augurio è che il clima di serenità, collaborazione e puntualità che ha sempre contraddistinto la BASSO, possa continuare per molti anni ancora.

Maggio 2015

Sosia Com





## high quality standards using the most advanced technologies













Unfiltered









Delicious Taste





100% Organic Extra Virgin Olive Oil













#### Olive Pomace Oil





Rice Bran Oil





### PACKAGING TECHNICAL INFORMATION

Packaging	Size	Units x Case	Case Gross Weight	Case Net Weight	Case Dimension			Case Volume	Cases / EUR Pallet (80 x 120 cm)			Cases / US Pallet (100 x 120 cm)			
	ml		Kg	Kg	L	W	Н	m³	Layer	s Cases/Layer	Total Cases	Layers	Cases/Layer	Total Cases	
Amphora	500	12	9.950	5.496	35.5	27.0	19.5	0.023	5	9	45	5	11	55	
Amphora	1000	12	17.000	10.992	43.0	25.0	33.0	0.033	5	6	30	5	8	40	
Basso Bottle	250	12	5.600	2.748	24.0	20.0	15.5	0.007	7	24	168	7	32	224	
Basso Bottle	500	6	4.960	2.748	22.0	23.0	12.0	0.006	5	32	160	6	39	234	
Basso Bottle	500	12	8.760	5.496	29.0	23.0	18.4	0.012	5	16	80	6	20	120	
Basso Bottle	1000	6	8.300	5.496	27.5	27.5	15.0	0.011	5	20	100	5	23	115	
Basso Bottle	1000	12	16.580	10.992	36.4	27.5	22.8	0.023	5	10	50	5	13	65	
Bordolese Bottle	250	12	5.530	2.748	20.5	23.0	15.5	0.007	6	26	156	6	32	192	
Bordolese Bottle	500	12	11.080	5.496	28.0	28.5	21.0	0.017	6	14	84	6	17	102	
Ceramic Jar	750	6	10.980	4.122	40.0	25.0	27.0	0.027	6	9	54	6	10	60	
Costolato Bottle	500	12	10.980	5.496	28.5	28.0	22.5	0.018	5	14	70	5	17	85	
Costolato Bottle	750	6	7.325	4.122	24.0	31.2	16.2	0.012	5	24	120	9	15	135	
Costolato Bottle	750	12	14.650	8.244	32.0	31.0	24.0	0.027	5	10	50	6	12	72	
Costolato Bottle	1000	12	21.900	10.992	37.0	32.0	28.0	0.034	4	9	36	5	10	50	
Cylindric Drum	25000	1	24.500	22.900	58.5	88.0	58.5	0.301	3	11	33	3	12	36	
Dorica Bottle	100	6	1.570	0.550	14.0	16.5	9.5	0.002	15	39	585	9	87	783	
Dorica Bottle	250	6	3.200	1.374	15.5	24.7	10.6	0.004	14	18	252	5	67	335	
Dorica Inviol. Bottle	250	12	6.120	2.748	20.5	26.5	15.5	0.008	6	21	126	6	26	156	
Flask	1000	6	8.600	5.496	38.0	31.0	26.0	0.031	5	9	45	5	11	55	
Flask	2000	6	15.840	10.992	46.0	37.0	31.0	0.053	4	6	24	4	8	32	
Grandolio Bottle	250	12	3.900	2.748	21.8	25.0	16.5	0.009	6	21	126	6	26	156	
Marasca Bottle	100	48	11.500	4.396	34.4	15.0	25.8	0.013	6	17	102	6	22	132	
Marasca Bottle	250	12	5.920	2.748	20.5	23.5	15.5	0.007	6	26	156	6	33	198	
Marasca Bottle	500	6	5.350	2.748	18.5	27.5	12.3	0.007	5	39	195	5	47	235	
Marasca Bottle	500	12	10.700	5.496	24.5	27.8	18.5	0.013	5	18	90	5	22	110	
Marasca Bottle	750	12	14.000	8.244	28.3	29.1	20.6	0.018	5	14	70	5	17	85	
Marasca Bottle	1000	12	18.000	10.992	30.6	31.5	23.0	0.023	4	12	48	4	16	64	
Marasca Bottle	1000	6	9.100	5.496	22.5	31.5	16.0	0.012	4	24	96	4	31	124	
PET Bottle-Marasca	100	48	5.380	4.396	34.4	13.0	25.8	0.012	6	17	102	6	22	132	
PET Bottle-Square	250	12	3.300	2.748	21.0	16.6	16.3	0.008	9	21	189	9	26	234	
PET Bottle-Square	500	12	6.200	5.496	26.3	20.3	20.0	0.011	8	14	112	8	17	136	
PET Bottle-Square	1000	12	11.700	10.992	34.2	25.5	25.7	0.022	6	10	60	6	14	84	
PET Bottle-Square	1500	6	8.800	8.244	28.0	30.4	20.3	0.019	5	12	60	5	15	75	
PET Bottle-Square	2000	6	12.000	10.992	34.5	28.3	23.7	0.023	5	11	55	5	14	70	
PET Bottle-Square	3000	4	11.440	10.992	28.8	28.8	27.5	0.023	6	8	48	6	12	72	
PET Bottle-Square	3000	6	17.200	16.488	44.6	24.7	29.6	0.033	6	6	36	6	8	48	
PET Bottle-Square	3785	4	12.100	13.868	29.0	31.0	29.0	0.025	6	8	48	5	12	60	
PET Bottle-Square	5000	4	20.000	18.320	31.0	34.0	30.5	0.034	4	8	32	4	12	48	
PET Bottle-Square	5000	2	10.000	9.160	31.5	34.5	15.0	0.017	4	17	68	4	21	84	
PET Bottle-Sleever	1000	12	11.790	10,992	36.5	30.5	22.0	0.024	5	11	55	5	13	65	
PET Bottle-Round	1000	12	11.700	10.992	33.5	25.0	25.5	0.021	5	12	60	5	14	70	
Spray Bottle	250	12	3.900	2.748	24.0	25.0	18.5	0.011	6	24	144	7	25	175	
Square Tin	250	24	6.800	5.496	29.0	12.0	28.0	0.010	14	12	168	14	12	168	
Square Tin	500	24	10.000	9.160	29.0	15.0	35.0	0.015	10	8	80	14	12	120	
Square Tin	1000	16	15.500	14.656	29.0	19.0	42.0	0.023	8	8	64	8	9	72	
Square Tin	3000	4	12.260	10.992	30.4	27.0	19.5	0.023	5	16	80	5	20	100	
Square Tin	3000	6	18.600	16.488	30.1	27.5	28.3	0.025	5	10	50	5	12	60	
Square Tin	3785	4	15.470	13.868	31.3	26.5	24.7	0.020	5	13	65	5	16	80	
	0700	4	15.470	10.000	01.0	20.5	24.1	0.019		10			10		

#### PACKAGING TECHNICAL INFORMATION

Packaging	Size	Units x Case	Case Gross Weight	Case Net Weight <sup>*</sup>	Case Dimension			Case Volume	Cases / EUR Pallet (80 x 120 cm)			Cases / US Pallet (100 x 120 cm)			
	ml		Kg	Kg	L	W	Н	m³	Layers	Cases/Layer	Total Cases	Layers	Cases/Layer	Total Cases	
Square Tin	3785	6	23.000	20.802	46.6	26.5	24.7	0.028	5	7	35	5	9	45	
Square Tin	4000	4	16.200	14.656	31.0	29.5	24.6	0.021	5	13	65	5	16	80	
Square Tin	5000	4	20.200	18.320	31.0	32.2	25.3	0.023	5	13	65	5	16	80	
Standard Bottle	250	6	2.900	1.374	17.0	17.5	11.5	0.005	6	42	252	6	56	336	
Standard Bottle	250	12	5.530	2.748	23.3	17.5	17.3	0.008	7	21	147	7	26	182	
Standard Bottle	500	6	4.900	2.748	18.5	21.0	12.5	0.008	5	29	145	6	37	222	
Standard Bottle	500	12	8.600	5.496	28.0	21.0	21.5	0.013	6	14	84	6	17	102	
Standard Bottle	750	12	15.000	8.244	31.5	24.5	23.5	0.017	6	10	60	6	15	90	
Standard Bottle	1000	6	8.400	5.496	26.2	25.9	17.8	0.013	5	21	105	6	22	132	
Standard Bottle	1000	12	16.750	10.992	34.4	25.9	25.4	0.025	6	10	60	5	12	60	
Tris - Sonata Bottle	600	6	11.150	3.398	43.0	32.5	29.0	0.041	4	6	24	4	8	32	
Vinegar Bottle	1000	12	17.500	12.000	35.0	28.0	26.5	0.025	5	10	50	5	11	55	
Vittoria Bottle	100	5	2.000	0.458	28.5	27.0	8.5	0.007	5	20	100	5	40	200	





Pet Bottle Square





Standard Bottle

Pet Bottle Square 5L/10L/20L

Pet Bottle - Sleever

Pet Bottle Round

X

Sonata Bottle

Vittoria Bottle







"The Headquarter, Mill, Packing Facility and Warehouses of BASSO FEDELE & FIGLI SRL are located in the Southern Italian Region of CAMPANIA, in the geographical area called IRPINIA, about 200 Km (120 miles) south of Rome. The Firm is located in a very strategical position, with easy access to both ports of Napoli (45 Km/27 miles) and Salerno (25 Km/15 miles) and to the "Intermodal Port" of Nola (30 Km/18 miles)."

#### HOW TO REACH US

Closest Airport: Napoli International Airport From the Airport:

- Take the A16 Highway towards Bari
- Take the exit towards Avellino EST
- Follow Avellino signs till the intersection with the Salerno Expressway
- Take the Expressway towards Salerno
- Take the first exit towards Serino
- The Plant is located 3 Km far from the exit towards Cesinali

#### BASSO FEDELE & Figli s.r.l.

Via Nocelleto, 46 - Zona Ind. 83020 San Michele di Serino (AV) - ITALY Tel. +39 0825595781 - Fax + 39 0825 595771 www.oliobasso.com - basso@oliobasso.com







BASSO FEDELE & FIGLI s.r.l. Via Nocelleto,46 - Zona Ind. 83020 San Michele di Serino (AV) - ITALY el. +39 0825 595781 - Fax +39 0825 59577 www.oliobasso.com - basso@oliobasso.com